

FROM			DATE	
1EG			11 MAR 1970	
TO	INITIALS	DATE	REMARKS	
DIRECTOR	4	all 3/13	1-2	
DEP/DIRECTOR	2	3/11		
EXEC/DIRECTOR	3	3/13		
SPECIAL ASST	1	3/11		
ASST TO DIR				
HISTORIAN				
CH/PPBS				
DEP CH/PPBS				
EO/PPBS				
CH/IEG				
DEP CH/IEG				
EO/IEG				
CH/PSG				
DEP CH/PSG				
EO/PSG				
CH/TSSG				
DEP CH/TSSG				
EO/TSSG				
CH/SSD/TSSG				
PERSONNEL				
LOGISTICS				
TRAINING				
RECORDS MGT				
SECURITY				
FINANCE				
DIR/IAS/DDI				
CH/DIAXX-4				
CH/DIAAP-9				

I see no
problem with
this - do you?
Suggest Art have
this available in case
he wants to mention
at Friday's
Exec Council.

Not if it comes
under the heading
of the kind of
briefings DIA can
approve (ref joint memo) -
③ what is said sticks to the
PI facts & does not
conflict with CIA
'printed' evaluations

TRANSMITTAL SLIP

TO: *SA/DIR*

ROOM NO.

BUILDING

REMARKS:

CP
Does this have all
the necessary blessings?

JF
10 KW

3/12 - Notified IEG - no problem
M

FROM:

ROOM NO.

BUILDING

EXTENSION

TOP SECRET

File: Regmts. 1

WORKING PAPER

SPEED LETTER

REPLY REQUESTED

DATE

10 March 1970

YES

NO

LETTER NO.

IEG/MSD-208/70

TO : Chief, IEG/NPIC

FROM: Chief, MSD/IEG

XXXX SUBJECT: ABM Briefing to DIA Scientific Advisory Committee

REFERENCE: DIA requirement D-065/70, NPIC Requirement 250702

Members of the DIA Scientific Advisory Committee have a need for the latest available intelligence on the Soviet ABM system to support their efforts in making an assessment of the Soviet defensive missile programs. In response to their request a briefing on recent developments at the Sary Shagan Missile Test Center, SA-5 engagement radars, Moscow ABM Complexes, the Kovylnino SA-5 Checkout Installation and the Dog House and Hen House Radars has been prepared and is scheduled to be presented at 0900, 13 March 1970 in the IEG teleprompter room.

Models depicting the ABM loading operation and the Aralsk U/1 Facility will also be discussed. At the conclusion of the briefing the committee members will adjourn to the Missiles and Space Division for the purpose of viewing in stereo recent photo coverages of several of the pertinent installations. A list of members of the DIA Scientific Advisory Committee that propose to attend the briefing is as follows:

SIGNATURE

REPLY

DATE

Submission of the requirement and arrangements for the briefing have been made by [] DIAXX-4.

GROUP 1
Excluded from automatic
downgrading and
declassification

Approved For Release 2003/12/19 : CIA-RDP78B05703A000100050040-6

RETURN TO O

TOP SECRET

~~SECRET~~

Regmts 1

PSG/R&RD-76/70
5 March 1970

MEMORANDUM FOR: Deputy Director, National Photographic Interpretation Center
THROUGH : Chief, Production Services Group, NPIC
SUBJECT : Photomosaic Project, Status as of 3 March 1970

1. As requested by you, status of the recently reactivated Photomosaic Project as of 3 March 1970 is as follows:

(a) Reprographics Division processed 3 copies of 70mm reproductions for 6 buckets of the backlog.

(b) All of the In-House TOPOCOM pass mosaics have been attached to WAC charts. The necessary labeling and control sheets for those mosaics recently completed are being compiled and all In-House materials should be forwarded to Reprographics Division during the next reporting period.




25X1

Chief, Research and Reference Division
PSG

Distribution:

- Orig. & 1 - Addressee
- 1 - NPIC/PSG
- 2 - NPIC/PSG/R&RD
- 1 - NPIC/PSG/R&RD/GSB

complete through
complete through



as far as buying mosaic or maps
indexing complete

25X1

GROUP 1
Excluded from automatic
downgrading and
declassification

~~SECRET~~